



Intel® NUC Kit NUC7CJYHN

Esenciales

Colección de productos	Kit Intel® NUC con procesadores Intel® Celeron®
Nombre clave	Productos anteriormente JUNIO CANYON
Estado	Lanzado
Fecha de lanzamiento	2T'21
Sistemas operativos compatibles	Windows 11 64 bits* Windows 10 64 bits*
Número de tablero	NUC7JYBN
Factor de forma de placa	UCFF (4 "x 4")
Enchufe	BGA soldado
Factor de forma de unidad interna	Unidad de 2 5"
# de unidades internas admitidas	1
Litografía	14nm
TDP	10W
Voltaje de entrada DC admitido	12-19 VCC
Procesador incluido	Procesador Intel® Celeron® J4005 (caché de 4 M hasta 2 70 GHz)
Elegibilidad de la plataforma Intel vPro® ‡	No
Núcleos totales	2
Subprocesos totales	2
Frecuencia base del procesador	2 00 GHz
Período de garantía	3 años
Precio de Cliente Recomendado	\$139.31 - \$141.78
Información suplementaria	
Opciones Integradas Disponibles	No
Ficha de datos	Ver ahora
Descripción	Otras características: incluye ranura para tarjeta SDXC sin códec de audio ni micrófonos



Intel® NUC Kit NUC7CJYHN

Memory & Storage

Max Memory Size (dependent on memory type)	8 GB
Memory Types	DDR4-2400 1.2V SO-DIMM
Max # of Memory Channels	2
Max Memory Bandwidth	38.4 GB/s
Max # of DIMMs	2
ECC Memory Supported ‡	No

Processor Graphics

Integrated Graphics ‡	Yes
Graphics Output	2x HDMI 2.0a
# of Displays Supported ‡	2

Expansion Options

Removable Memory Card Slot	SDXC with UHS-I support
----------------------------	-------------------------

I/O Specifications

# of USB Ports	6
USB Configuration	2x front and 2x rear USB 3.0; 2x USB 2.0 via internal headers
USB Revision	2.0 3.0
USB 2.0 Configuration (External + Internal)	0 + 2
USB 3.0 Configuration (External + Internal)	2B 2F + 0
Total # of SATA Ports	1
Max # of SATA 6.0 Gb/s Ports	1
Audio (back channel + front channel)	7.1 digital
Integrated LAN	Realtek 8111H-CG
Integrated Wireless‡	Intel® Wireless-AC 9462 + Bluetooth 5.0
Integrated Bluetooth	Yes
Consumer Infrared Rx Sensor	Yes
Additional Headers	CEC 2x USB2.0 AUX_PWR FRONT_PANEL



Intel® NUC Kit NUC7CJYHN

Package Specifications

Chassis Dimensions	115 x 111 x 51mm
--------------------	------------------

Advanced Technologies

Intel® Virtualization Technology for Directed I/O (VT-d) ‡	Yes
Intel vPro® Platform Eligibility ‡	No
TPM	No
Intel® Virtualization Technology (VT-x) ‡	Yes
Intel® Platform Trust Technology (Intel® PTT)	Yes

Security & Reliability

Intel® AES New Instructions	Yes
-----------------------------	-----