



H81MHV3

Chipset	Intel H81
CPU SUPPORT	Intel® Core™ i7 LGA 1150 Processor Intel® Core™ i5 LGA 1150 Processor Intel® Core™ i3 LGA 1150 Processor Intel® Pentium® LGA 1150 Processor Maximum CPU TDP (Thermal Design Power) : 95Watt
MEMORY	Support Dual Channel DDR3 1600/1333/1066 MHz 2 x DDR3 DIMM Memory Slot Max. Supports up to 16GB Memory
INTEGRATED VIDEO	By CPU model Supports DX11.1
STORAGE	2 x SATA III Connectors (6Gb/s) 2 x SATA II Connector s (3Gb/s)
LAN	Realtek RTL8111G - 10/100/1000Mb/s Controller
AUDIO CODEC	Realtek ALC662 6-Channel HD Audio

USB	2 x USB 3.0 Port 2 x USB 2.0 Port 2 x USB 2.0 Header
-----	--

EXPANSION SLOT	1 x PCI-E 2.0 x16 Slot 1 x PCI-E 2.0 x1 Slot
----------------	---

REAR I/O	1 x PS/2 Mouse 1 x PS/2 Keyboard 2 x USB 3.0 Port 2 x USB 2.0 Port 1 x HDMI Connector 1 x VGA Port 1 x LAN Port 3 x Audio Jacks
----------	--

INTERNAL I/O	2 x USB 2.0 Header 2 x SATA III Connector (6Gb/s) 2 x SATA II Connector (3Gb/s) 1 x Front Audio Header 1 x Front Panel Header 1 x CPU Fan Connector 1 x System Fan Connector 1 x COM Port Header
--------------	--

H/W MONITORING

CPU / System Temperature Monitoring
CPU / System Fan Monitoring
Smart / Manual CPU Fan Control
System Voltage Monitoring

DIMENSION

Micro ATX Form Factor Dimension: 19cm x 17cm (W x L)

OS SUPPORT

Supports Windows 7 / 8 / 8.1 / 10(x64)

BUNDLE SOFTWARE

BIO-Remote2
Smart Speed LAN

ACCESSORIES

2 x SATA Cable
1 x I/O Shield
1 x DVD Driver
1 x Quick Guide

FEATURES

Supports Solid capacitor
Supports Charger Booster
Supports BIOS Online Update

Caución!! La especificación y cuadros son sujetos de cambio sin aviso!