SanDisk[®]

Specifications

- Up to 160MB/s read speed, up to 90MB/s write**
- 4K UHD and Full HD Video¹
- Class 10, App Performance Class 2 (A2)²
 Video Speed Class 30 (V30)⁴,
 UHS Speed Class 3 (U3)⁴
- SanDisk Memory Zone included³
- RescuePRO[®] Deluxe one year file recovery software (download offer)⁵
- SD™ adapter included
- Lifetime limited warranty⁶





| Capacities | Performance |
|------------|--|
| 128GB-1TB* | C10, U3, V30, A2 160MB/s read; write speed 90MB/s** |
| 64GB* | C10, U3, V30, A2 160MB/s read; write speed 60MB/s** |
| 32GB* | C10, U3, V30, A1 100MB/s read; write speed 60MB/s** |









SanDisk Extreme 256^{GB} 蹙 [³⁰]

Set-up information: 32GB, 64GB, 128GB, 256GB, 400GB, 512GB, 1TB*

| Product Name | Sales Item No. | Single Pack UPC | Master Carton UPC (SCC-14) |
|--|--------------------|-----------------|----------------------------|
| 32GB SanDisk Extreme® microSDHC™ UHS-I Card with adapter | SDSQXVF-032G-AN6MA | 619659147822 | 60619659147824 |
| 64GB SanDisk Extreme® microSDXC™ UHS-I Card with Adapter | SDSQXA2-064G-AN6MA | 619659169749 | 60619659169741 |
| 128GB SanDisk Extreme® microSDXC™ UHS-I Card with Adapter | SDSQXA1-128G-AN6MA | 619659169664 | 6 06 19659 16966 6 |



| Product Name | Sales Item No. | Single Pack UPC | Master Carton UPC (SCC-14) |
|---|--------------------|-----------------|--------------------------------------|
| 256GB SanDisk Extreme® microSDXC™ UHS-I Card with Adapter | SDSQXA1-256G-AN6MA | 619659169718 | 60619659169710 |
| 400GB SanDisk Extreme® microSDXC™ UHS-I Card with Adapter | SDSQXA1-400G-AN6MA | 619659165673 | 60619659165675 6 06 19659 16567 5 |
| 512GB SanDisk Extreme® microSDXC™ UHS-I Card with Adapter | SDSQXA1-512G-AN6MA | 619659173746 | 6 06 19659 17374 8 |
| 1TB SanDisk Extreme [®] microSDXC™ UHS-I Card with Adapter | SDSQXA1-1T00-AN6MA | 619659173722 | 40619659173720 4 06 19659 17372 0 |

Details: 32GB, 64GB, 128GB, 256GB, 400GB, 512GB*

| | Weight | Dimensions (H x W x L) | Other |
|------------------------------|----------------------|---|---|
| Individual Product (card) | 0.01 lb 4.54 g | 0.43 × 0.59 × 0.04 in 10.92 × 14.99 × 1.02 mm | Master Carton Qty: 25 Languages on Package: English, Spanish |
| Individual Product (adapter) | 0.01 lb 4.54 g | 1.25 x 0.94 x 0.08 in 31.75 x 23.88 x 2.03 mm | Country of Origin: China or Taiwan Warranty: Lifetime limited warranty ⁶ |
| Single Package | 0.03 lb 13.76 g | 6.00 x 4.00 x 0.19 in 152.00 x 101.00 x 4.90 mm | |
| Master Package | 0.89 lb. 404.00 g | 6.50 x 4.37 x 3.78 in 165.00 x 111.00 x 96.00 mm | |

Details: 1TB*

| | Weight | Dimensions (H x W x L) | Other |
|------------------------------|---------------------|---|---|
| Individual Product (card) | 0.01 lb 4.54 g | 0.43 × 0.59 × 0.04 in 10.92 × 14.99 × 1.02 mm | Master Carton Qty: 10 Languages on Package: English, Spanish |
| Individual Product (adapter) | 0.01 lb 4.54 g | 1.25 x 0.94 x 0.08 in 31.75 x 23.88 x 2.03 mm | Country of Origin: China or Taiwan Warranty: Lifetime limited warranty ⁶ |
| Single Package | 0.03 lb 13.76 g | 6.00 x 4.00 x 0.19 in 152.00 x 101.00 x 4.90 mm | |
| Master Package | 0.38 lb 174.00 g | 1.89 x 4.45 x 6.42 in 48.00 x 113.00 x 163.00 mm | |

- ✓ Water Proof⁷
- ▼ Temperature Proof⁷
- ☑ Shock Proof⁷
- ✓ X-Ray Proof⁷









- Terms and Conditions appl
- * 1GB=1,000,000,000 bytes. 1TB=1,000,000,000,000 bytes. Actual user storage less
- ** **128GB-1TB:** Up to 160MB/s read speeds, engineered with proprietary technology to reach speeds beyond UHS-I 104MB/s, require compatible devices capable of reaching such speeds. Up to 90MB/s write speeds. Based on internal testing; performance may be lower depending on host device, interface, usage conditions and other factors. 1MB = 1,000,000 bytes.
- ** **64GB**: 160MB/s read speeds, engineered with proprietary technology to reach speeds beyond UHS-I 104MB/s, require compatible devices capable of reaching such speeds. Up to 60MB/s write speeds. Based on internal testing; performance may be lower depending on host device, interface, usage conditions and other factors. 1MB = 1,000,000 bytes.
- ** 32GB: Up to 100MB/s read; up to 60MB/s write. Based on internal testing; performance may be lower depending on host device. 1MB = 1,000,000 bytes
- Compatible device required. 4K UHD (3840x2160) video support may vary based upon host device, file attributes, and other factors. See www.sandisk.com/HD
- ² Results may vary based on host device, app type and other factors
- Download required. See www.sandisk.com/memoryzone
- Video Speed Class 30 (V30), sustained video capture rate of 30MB/s, and UHS Speed Class 3 (U3) designate a performance option designed to support real-time video recording with UHS enabled host devices. See www.sdcard.org/consumers/speed
- 5 Registration required. Terms and conditions apply
- 6 See www.sandisk.com/wug
- Card only: See www.sandisk.com/proof

SanDisk, RescuePRO and SanDisk Extreme are registered trademarks or trademarks of Western Digital Corporation or its affiliates in the US and/or other countries. The microSD, microSDHC, microSDXC, SDHC and SDXC marks and logos are trademarks of SD-3C, LLC. Android is a trademark of Google Inc. The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License. Windows and the Windows logo are trademarks of the Microsoft group of companies. All other marks are the property of their respective owners.

© 2019 Western Digital Corporation. All rights reserved. Rev. 08/19

Western Digital Technologies, Inc. is the seller of record and licensee in the Americas of SanDisk® products.